



Asset Services

9.05 REDEMPTION AUTOMATED RECEIPTS (RARS): FUNCTION USER'S GUIDE

AUGUST 24, 2023

TABLE OF CONTENTS

Objectives of This Chapter	3
DTC Redemption Automated Receipt System (RARS): Overview	4
RARS Transmission Modes.....	4
Function Names and Availability Times.....	4
RARS Transactions	5
RARS Transmission Data Record Formats	6
RARS Transaction Data Record.....	6
RARS Batch Trailer Record.....	7
RARS Transmission Trailer Record	8
RARS Response Record (Output): Error Conditions	10

OBJECTIVES OF THIS CHAPTER

The objectives of this chapter are to give information about:

- DTC's Redemption Automated Receipt (RARS) System
- Transmission and Response Record formats
- DTC response to transmission errors

DTC REDEMPTION AUTOMATED RECEIPT SYSTEM (RARS): OVERVIEW

DTC's newly developed RARS enables users to transmit CUSIP-level details of bulk redemption payment wires sent to DTC's Redemptions bank account. Simultaneous transmission of the bulk wire and the RARS file early on the payable date satisfies DTC's eligibility requirement for monthly Redemption Agent rebate.

After receiving a Participant's input transmission, DTC then performs the following:

- Edits the input transmission file
- Responds with a Single Summary Total Record for the User's details
- Provides details of errors detected

RARS Transmission Modes

This User Guide describes the RARS application for all three transmission modes: CCF, CCF-II and MDH. Redemption Agents must familiarize themselves with the DTC document *Interface Control Management CCF, CCF-II and MDH User's Guide for Transaction Input*. That document describes standards for transaction processing using DTC's automated systems, including specifics relating to operation, error processing, and recovery.

Function Names and Availability Times

The function names associated with each interface are as follows:

- CCF RAR5
- CCF-II RAR5
- MDH RAR1

RARS functions are available from 6:00 a.m. through 8:00 p.m. (Eastern Time). However, transmissions received after 2:30 p.m are processed on the following day. For same day processing, transmissions must be received by 2:30 p.m.

RARS TRANSACTIONS

RARS transaction files consist of two records: a Detailed Data Record and a Transmission Trailer record. Each record is preceded by a common 26-byte record prefix (boxed in the record formats that follow) which identifies the record type.

- **Redemption Automated Receipt Detail Data Record.** The Detail Data Record contains information regarding each RARS transaction. The Data Record is mandatory for each RARS transmission. For the format of the [Detail Data Record](#).
- **Transmission Trailer Record.** The Trailer Record contains control information for all RARS details in the transmission and must be included as the last record of the RARS transmission. DTC verifies totals appearing in the Trailer Record. For the format of the [Transmission Trailer Record](#).

RARS TRANSMISSION DATA RECORD FORMATS

The following subsections describe the format required for each record.

RARS Transaction Data Record

The input record for RARS transactions contains a transaction header and application detail data and has a record length of 80. For MDH up to 10 records can be entered per input block. The transaction data record format is described in the following table.

RARS Transaction Data Record–Format (Part 1 of 2)				
Position	Length	Format	Field Name	Field Description
1	1	Character	Feedback Indicator	Leave blank (used in DTC output file to indicate whether errors were encountered during processing)
2	1	Character	Production/Test Indicator	Required T Test P Production
3	6	Character	Record Type	RARREC Data record
9	2	Numeric	Record Suffix	<i>nn</i> Number of records on single/multiple data records within a transaction
11	2	Numeric	Version Number	Indicator of data version; for example, "latest," "previous"
13	6	Character	User Reference Number	User's unique transaction identifier (optional)
19	8	Character	Addressee	Identifier of the entity on whose behalf the transaction is to be processed <i>nnnnnnnn</i> 8-digit full numeric identifier (zero fill) <i>Mnnnnnnn</i> non-full numeric identifier

RARS Transaction Data Record–Format (Part 2 of 2)				
Position	Length	Format	Field Name	Field Description
27	9	Character	Bank ABA Number	9-character bank identifier
36	8	Numeric	Pay Date	<i>ccyyymmdd</i> Date on which the issue pays income and/or principal
44	12	Character	International CUSIP Number	12-character security identifier Format: <i>bbxxxxxxxxb</i> (b=blank, x=CUSIP number)
56	15	Numeric	Receipt Amount	9(13)V99 Amount to be sent
71	10	Character	Filler	DTC use only; do not use.

RARS Batch Trailer Record

The trailer record is required as the last record for each set of CUSIPs per bank processed. The 80-character RARS “RARTLR” Transaction Trailer Record is described in the table below.

RARS Batch Trailer Record–Format				
Position	Length	Format	Field Name	Field Description
1	1	Character	Feedback Indicator	Leave blank (used in DTC output file to indicate whether errors were encountered during processing)
2	1	Character	Production/Test Indicator	Required T Test P Production
3	6	Character	Record Type	RARTLR Data trailer record
9	2	Numeric	Record Suffix	<i>nn</i> Number of records on single/multiple data records within a transaction
11	2	Numeric	Version Number	Indicator of data version; for example, "latest," "previous"
13	6	Character	User Reference Number	User's unique transaction identifier (optional)
19	8	Character	Addressee	Identifier of the entity on whose behalf the transaction is to be processed <i>nnnnnnnn</i> 8-digit full numeric identifier (zero fill) <i>Mnnnnnnn</i> non-full numeric identifier
27	9	Character	Bank ABA Number	9-character bank identifier
36	45	Character	Filler	DTC use only; do not use.

RARS TRANSMISSION TRAILER RECORD

The Trailer Record is required as the last record of each RARS transmission. The 80- character RARS Trailer Record is described in the table below.

RARS Transmission Trailer Record–Format (Part 1 of 2)				
Position	Length	Format	Field Name	Field Description
1	1	Character	Feedback Indicator	Leave blank (used in DTC output file to indicate whether errors were encountered during processing)
2	1	Character	Production/Test Indicator	Required T Test P Production
3	6	Character	Record Type	TRAILR Trailer Record
9	2	Numeric	Record Suffix	<i>nn</i> Number of records on single/multiple data records within a transaction
11	2	Numeric	Version Number	Indicator of data version; for example, "latest," "previous"
13	6	Character	User Reference Number	User's unique transaction identifier (optional)
19	8	Character	Addressee	Identifier of the entity on whose behalf the transaction is to be processed <i>nnnnnnnn</i> 8-digit full numeric identifier (zero fill) <i>Mnnnnnnn</i> non-full numeric identifier
27	7	Numeric	Total Record Count	<i>nnnnnnn</i> Total number of data records in this RARS transmission, exclusive of the trailer records Note: This must equal the DTC- calculated total record count.

RARS Transmission Trailer Record–Format (Part 2 of 2)				
Position	Length	Format	Field Name	Field Description
34	13	Numeric	Total Quantity Number	9(13) Total Quantity amount in all the RARS data records to be received in this transmission (must equal the DTC-calculated total quantity amount, or zero if not applicable)
47	15	Numeric	Total Dollar Number	9(13)V99 Total Dollar amount in all the RARS data records to be received in this transmission (must equal the DTC-calculated total dollar amount, or zero if not applicable)
62	19	Character	Filler	DTC use only; do not use.

RARS RESPONSE RECORD (OUTPUT): ERROR CONDITIONS

If any errors occur during processing, the following occurs:

- CCF/CCF-II Users receive their input record with 40 bytes of errors appended to the end of the record.
- MDH users receive a 40-byte area for errors in their "06" return block.

The following describes the errors that can be received during the edit of a RARS detail record. This error list describes both the Field Identifier and the Error Code. These codes are defined in the DTF files ICMFLD for Field Identifiers and ICMERR for Error Codes.

RARS Response Record Error Conditions		
Error Description	Error Field Code	Error Message Code
Invalid Record type	AAAA	9AAA
Past Cutoff Time	AAAA	9AAL
Cutoff Quiesce	JAAA	9ABJ
Cutoff Invalid Time	JAAA	0460
Cutoff Invalid Function	JAAA	0470

© 2023 DTCC. All rights reserved. DTCC, DTCC (Stylized), FINANCIAL MARKETS. FORWARD, and the Interlocker graphic are registered and unregistered trademarks of The Depository Trust & Clearing Corporation.

The services described herein are provided under the “DTCC” brand name by certain affiliates of The Depository Trust & Clearing Corporation (“DTCC”). DTCC itself does not provide such services. Each of these affiliates is a separate legal entity, subject to the laws and regulations of the particular country or countries in which such entity operates. Please see www.dtcc.com for more information on DTCC, its affiliates and the services they offer.

Doc Date: August 24, 2023

Publication Code: AS169

Service: Asset Services

Title: 9.05 Redemption Automated Receipts (RARS): Function User's Guide

For More Information

Email DTCC Learning at:

DTCCLearning@dtcc.com

or visit us on the web at:

www.dtccllearning.com

